

Information



Herbicides for Non-cropping Areas

Asulox

Effective against Bracken. Can be applied near watercourses but take care to avoid direct run-off.

Broadshot

Translocated herbicide for Docks, Nettles, Thistles, Gorse, Brambles, scrub and other weeds in pastureland. Can be applied near watercourses. Can be used in Ropewick applicator.

Casaron G

A granular product that lasts up to 12 months from one application at the high rate. Effective against a wide spectrum of weeds. Do not use close to tunnels or glasshouse walls as gas damage can occur in high temperatures. Best applied in the winter period. Can be applied near watercourses.

Garlon 2

Translocated herbicide for Docks, Nettles, Thistles, Gorse, Brambles and scrub and other weeds in pastureland. Can be applied near watercourses but take care to avoid direct run-off.

Hyvar X

Root absorbed product applied by spraying. Controls Docks, Nettles, Bindweed, Hogweed, Rosebay Willow Herb, Mint, Couch. Lasts for 12 months, but no planting for three years after.

Round Up

Translocated herbicide for Docks, Nettles, Thistles, Gorse, Brambles, scrub and other weeds. Can be applied near watercourses but take care to avoid direct run-off. Maximum detectable levels allowed in water. Can be used in Ropewick applicator. Non-residual so re-application needed during the season or the addition of a residual product after application.

Weedazole TL

Translocated herbicide for Docks, Nettles, Thistles, Gorse, Brambles, Couch, Ground Elder, Mares Tail, Redshank, Mayweed, scrub and other weeds. Can be applied near watercourses but take care to avoid direct run-off. No replanting for 12 months.

Read the label before you buy - use pesticides safely

Dove Associates shall in no event be liable for any loss or damage caused by the use of products mentioned in this document. © Dove Associates 04/03/02