



Horticultural Consultants

Weggs Farm Common Road Dickleburgh, DISS Norfolk IP21 4PJ

Tel: 01379 741200 Fax: 01379 741800

Email: info@dovebugs.co.uk www.dovebugs.co.uk

Susceptibility of Weeds to Herbicides Pre-weed emergence in Ornamental Crops

The following recommendations are based on label information and research trials. Test on a small area first to check for phytotoxicity.

	Artist	Butisan S	Centium 360 CS*	Centurion Max	Chikara	Devrinol*	Dow Shield 400*	Dual Gold*	Flexidor	glyphosate*	Kerb Flo	Kerb Granules	Nortron Flo*	pendimethalin*	Samson Extra 6%*	Sencorex Flow*	Springbok*	Stomp 400SC*	Sumimax*	Venzar 500 SC*
Bracken												R								
Field bindweed					S		S			MS	R									
Cleavers	MS		S			MS			R		S	S	S	S		S	S		MS	S
Clover						MS	MS			MS	R					S				
Couch grass				MS						S		S								
Creeping buttercup					S					S	S	S								
Creeping thistle							S			S	R									
Creeping yellow cress										MR										
Daisy				·																
Dandelion					S		S			S	R									

	Artist	Butisan S	Centium 360 CS*	Centurion Max	Chikara	Devrinol*	Dow Shield 400*	Dual Gold*	Flexidor	glyphosate*	Kerb Flo	Kerb Granules	Nortron Flo*	pendimethalin*	Samson Extra 6%*	Sencorex Flow*	Springbok*	Stomp 400SC*	Sumimax*	Venzar 500 SC*
Docks										S	S	S								
Hogweed										S										
Horsetail					R					MR	MS	S								
Mouse-ear chickweed		S			S				S									MS	S	
Pearlwort		S			S			S	S									S	S	
Plantains					R															
Ragwort					R						R									
Ryegrasses	S			MS	S							S			S	S				
Sallow		S			S			S	S										S	
Sow thistle					S		S				R					S	S			
Stinging nettle										S										
Willowherb sp.		S			S	S		S			S	R							S	

Key to table

 $\overline{MS} = \overline{Moder}$ ately Susceptible

MR = Moderately Resistant

R = Resistant

S = Susceptible

* = EAMÛ required